



PeopleLink 4k Telepresence Camera



The Telepresence Camera is a state-of-the-art video live camera designed for professional broadcasting and video conferencing, delivering stunning clarity with its Ultra HD 4K image quality that captures every detail with precision. Its 20x optical zoom allows for versatile shooting, enabling both closeups and wide-angle perspectives effortlessly. Equipped with advanced auto focus technology, it ensures subjects remain sharp and clear at any distance, while the infrared remote control provides convenience for adjusting zoom and brightness settings from afar, making it ideal for dynamic environments. With flexible installation options, this camera adapts seamlessly to various settings, making it the ultimate tool for capturing high-quality video in conference rooms, classrooms, or studios.

Functional Features

- Ultra high definition 4K image quality
- 20x optical zoom
- Connect to a computer or mainstream conference tablet in the market via USB data cable
- Can be connected to a display device via HDMI cable
- The lens can be manually/automatically adjusted for more flexible shooting
- Multi functional infrared remote control
- Plug and play, no driver required

Key Features

Ultra HD 4K Image Quality:

Captures high-resolution video with exceptional detail, ideal for clarity and professional broadcasting.

20x Optical Zoom:

Offers powerful zoom capabilities for close-ups and wide-angle views, allowing flexibility in framing shots.

Key Features

Auto Focus Technology: Automatically adjusts focus for clear images, ensuring that every detail is captured in real time.

Infrared Remote Control: Provides convenient control over zoom, brightness, and other settings from a distance, enhancing usability in various environments.

Flexible Supports Installation: various installation configurations, making it adaptable to different settings and user needs.

General Specifications

▼ Essential Information

size	124.5*99.6*125mm
colour	Business black
Weight	695g
connect	USB data cable
Power Supply	DC 12V/2000mA
Environmental requirements	Working temperature: 0 ° C to 40 ° C; Storage temperature: -10 ° C to 60 ° C
Computer operating systems	Windows 7、 Windows 8、 Windows10、 Mac OS X、 Android systems
Product executive standard	YD/T 993-1998; GB/T 9254-2008 ; GB 4843.1-2011

▼ Video Features

Lens specification	20x optical zoom
Image sensor	1/2.8'
Pitch motion angle	-30°~30°
Horizontal movement angle	-150°~ 150°
pixel	8.3 Mega Pixels, 4Kimage quality
Maximum image transmission rate	30FPS: H264、 MJPEG 10FPS: YUV
communication protocol	UVC
Video encoding format	YUV、 H264、 MJPEG
Image resolution	Can achieve 4K (3840*2160) 2560*1440 1920*1080 1280*720
Field of view angle	54 ° (wide-angle horizontal viewing angle)

▼ Configuration

Interface	Power interface, USB interface, HDMI interface
Packaging List	Host 1, power adapter 1, remote control 1, HDMI cable 1, USB data cable 1, instruction manual 1

▼ Remote Control

Remote control adjustment	Camera on/off Pre-set position Optical zoom Manual focusing Auto focus Menu settings Brightness adjustment
---------------------------	--

Device Installation

The device can be installed using one of the following methods, depending on the application scenario

**Installation Method 1:**

The device is placed on a horizontal surface.

**Installation Method 2:**

The device is placed on top of the display.

**Installation Method 3:**

The device is mounted on a tripod.

Ordering Information

PeopleLink 4k Telepresence Camera : PPU-PVC-PC1-FHD2K-S20X-USB

SALES AND INQUIRIES

Global Headquarters

Q3-A3, 10th Floor Cyber Towers,
HITEC City, Hyderabad, Telangana
500081, India

Phone: +91 9100123013

Email: vc@peoplelinkvc.com

International Contact Numbers

USA: +1 669-696-8383

Australia: +61 370 037070

France: +33 6 80 75 26 42

Middle East: +966 5300 19292

UK: +44 20 4571 5454

UAE: +971 4 3339082

Canada: +1 647-945-7373

Malaysia: +(6)018-2872188

New Zealand: +64-9-802-4666

Africa: +254 107 529 656

Tech Support

Toll Free: 1800 208 3399

customersupport@peoplelinkvc.com